



訂購型號：**FB** - [] - [] - [] - [] - []
PB - [] - [] - [] - [] - []

PB : Bending Resistance Fiber

R	Reflective type
T	Thrubeam type

E	High precision...0.25mm/1.0
A	High precision...0.25mm/1.25
S	Precision...05mm/1.0
S2	Precision...0.5mm/2.2
D	Precision...0.5mm/1.25
J	Precision...0.75mm/1.25
	Standard...1.0mm/2.2
B	Standard...1.0mm/1.3
X	Long sensing range ...1.5mm/2.2
C	Coaxial... 0.25mm x 16 / 1.0mm x 1 0.25mm x 9 / 0.5mm x 1
C7	Multiple-core...0.25mm x 6/0.25 x 1
C4	Multiple-core...0.25mm x 4/1
C42	Multiple-core...0.25mm x 4/2.2
C10	Multiple-core...0.25mm x 10/1.3
C16	Multiple-core...0.25mm x 16/2.2
C32	Multiple-core...0.25mm x 32/2.8
H	115 Heat resistant...1.0mm/2.2
Y	Flexible R2 fiber...1.0mm/2.2
Z	Flexible R2 fiber...1.0mm/1.3
W	Flexible R1 fiber...0.5mm/1.0
W2	Flexible R1 fiber...0.5mm/2.2

Q	Sensing end tip without thread
U	Curved sensing end tip
D	Side view
KS	Fiber assemblies with SUS sheathing

	Without sleeve
I	Sleeve length 10mm
S	Sleeve length 20mm
M	Sleeve length 40mm
L	Sleeve length 90mm
S□	Sleeve length by customer design

05	Fiber length 500 mm
10	Fiber length 1000 mm
20	Fiber length 2000 mm
30	Fiber length 3000 mm

1	Head diameter 1.5, 1
2	Head diameter 2
3	Head diameter M3, 3
4	Head diameter M4, 4
5	Head diameter 5
6	Head diameter M6

若有特殊光纖欲訂做，請將尺寸規格傳真至敝公司，會有專人為您服務。
 *1：光纖長度可訂製。

訂購型號：FB - G [] [] [] [] - [] - []

R	Reflective type
T	Thrubeam type

[]	Standard model
Customized	
X	Bundle size is twice as large as large as standard model 1.5

6	Head diameter M6
4	Head diameter M4
3	Head diameter M3, 3

U	Curved sensing end tip
W	Fiber assemblies with PTFE sheathing

[]	Without sleeve
I	Sleeve length 10mm
S	Sleeve length 20mm
M	Sleeve length 40mm
L	Sleeve length 90mm
S□	Sleeve length by customer design

05	Fiber length 500 mm
10	Fiber length 1000 mm
20	Fiber length 2000 mm
30	Fiber length 3000 mm

Glass fiber light guide

訂購型號：FB - [] [] [] [] - []

T	Plastic Fiber Optics(Thrubeam)
G	Glass Fiber Optics

R	Dual-leg bundle light guide
T	Single leg light guide / Multi-leg bundle light guide

[]	Standard model
Customized- Light guide bundle size-	
3	Additional bundle size 3
4	Additional bundle size 4
6	Additional bundle size 6
7	Additional bundle size 7
8	Additional bundle size 8
10	Ultra large bundle size 10

5	Fiber length 500 mm
10	Fiber length 1000 mm
20	Fiber length 2000 mm
30	Fiber length 3000 mm
90	Fiber length 9000 mm

4747	Ferruel 4.7	Ferruel 4.7
4708		Ferruel 8
0505	Ferruel 5	Ferruel 5
0606	Ferruel 6	Ferruel 6
07512	Ferruel 0.75	Ferruel 12
07515		Ferruel 15
0808	Ferruel 8	Ferruel 8
0815		Ferruel 15
1013	Ferruel 10	Ferruel 13
1015		Ferruel 15
1215	Ferruel 12	Ferruel 15
1415	Ferruel 14	Ferruel 15

若有特殊光纖欲訂做，請將尺寸規格傳真至敝公司，會有專人為您服務。

*1：光纖長度可訂製。

訂購型號： **FB** - **S** - -

R	Reflective type
RC	Reflective coaxial type
T	Thrubeam type

1	Pure fused silica core 100 μ m
2	Pure fused silica core 200 μ m
3	Pure fused silica core 300 μ m
4	Pure fused silica core 400 μ m
6	Pure fused silica core 600 μ m

4	M4 sensing head
3	M3, 3 sensing head

U	Curved sensing end tip
W	Sensing head without thread
SMA	End tip with SMA connector

S□	Sleeve length 5mm ~ 90mm
----	--------------------------

05	Fiber length 500 mm
10	Fiber length 1000 mm
20	Fiber length 2000 mm
30	Fiber length 3000 mm



若有特殊光纖欲訂做，請將尺寸規格傳真至敝公司，會有專人為您服務。

*1：光纖長度可訂製。